## In the Claims

Please cancel claims 1-8 without prejudice or disclaimer of the subject matter contained therein.

Claims 1-8 (Canceled).

## Please add the following new claims:

- 9. (New) A method to automatically handle undesired electronic mail (e-mail)
- 2 in communication networks at the receiver, the method comprising:
  - automatically comparing the sender address accompanying an incoming e-mail to an
- 4 electronically accessed list of authorized sender addresses assigned to the receiver; then
  - storing the e-mail in a mailbox MB of the recipient, wherein the only e-mails
- 6 transferred to the receiver's mailbox are those that had clearly been sent by authorized senders; and
- performing an analysis to see if there is serial, incremental user identification occurring so that conclusions can be drawn concerning automatic attempts at breaking into the e-mail system.
  - 10. (New) The method according to claim 9, wherein there are two logically
- 2 or physically, or both, separate mailboxes, said mailbox MB and a junk mailbox JMB,

- wherein the e-mail server sends to the JMB mailbox all incoming e-mails that indeed
- 4 have the subscriber's correct recipient address but are not contained in the sender list on the receiving side, thus making them available for further processing selectively by the
- 6 internet service provider, the administrative authorities, and by the recipient.
  - 11. (New) The method according to claim 9, wherein the incoming e-mails
- 2 are selectively put through an automatic handling and analysis process, which can be selectively configured by the recipient and by the ISP, selectively in the e-mail server, in
- a comparison device, and in at least one of the mailboxes, said process initiated and configured either on a case-by-case basis or permanently.
  - 12. (New) The method according to claim 10, wherein the incoming e-mails
- are selectively put through an automatic handling and analysis process, which can be selectively configured by the recipient andr by the ISP, selectively in the e-mail server,
- 4 in a comparison device, and in at least one of the mailboxes, said process initiated and configured either on a case-by-case basis or permanently.
  - 13. (New) The method according to claim 9, wherein all executable programs
- 2 sent as attachments to e-mails are automatically separated in the JMB.

	14.	(New)	The method according to claim 10, wherein all executable
2	programs sent	as attac	chments to e-mails are automatically separated in the JMB.
2	15. programs sent		The method according to claim 11, wherein all executable thments to e-mails are automatically separated in the JMB.
2			The method according to claim 12, wherein all executable thments to e-mails are automatically separated in the JMB.
2	received, disco	ntinuat	The method according to claim 9, wherein if an undesired e-mail is ion requests, or cease and desist demands, can be generated vered to the sender.
2		,	The method according to claim 10, wherein if an undesired e-mail nation requests, or cease and desist demands, can be generated

automatically and delivered to the sender.

- 19. (New) The method according to claim 11, wherein if an undesired e-mail
   2 is received, discontinuation requests, or cease and desist demands, can be generated
   automatically and delivered to the sender.
- 20. (New) The method according to claim 12, wherein if an undesired e-mail
  2 is received, discontinuation requests, or cease and desist demands, can be generated
  automatically and delivered to the sender.
- 21. (New) The method according to claim 9, wherein virus checks of the e 2 mail can be carried out selectively at an established time of day or each time a message arrives.
- (New) The method according to claim 10, wherein virus checks of the e mail can be carried out selectively at an established time of day or each time a message arrives.
- 23. (New) The method according to claim 11, wherein virus checks of the e-mail can be carried out selectively at an established time of day or each time a message arrives.
- 24. (New) The method according to claim 12, wherein virus checks of the
   e-mail can be carried out selectively at an established time of day or each time a message arrives

- 25. (New) The method according to claim 10, wherein the contents of the
- 2 JMB can be cyclically deleted at specific time intervals.
  - 26. (New) The method according to claim 11, wherein the contents of the
- 2 JMB can be cyclically deleted at specific time intervals.
  - 27. (New) The method according to claim 12, wherein the contents of the
- 2 JMB can be cyclically deleted at specific time intervals.
  - 28. (New) The method according to claim 13, wherein the contents of the
- 2 JMB can be cyclically deleted at specific time intervals.